


FORT LAUDERDALE'S SUCCESSFUL SEWER PIPE FIGHT

Two-Pronged Attack Using HDPE Pipe Saves the 'Venice of America' and Wins Top Industry Award

By: Plastics Pipe Institute, Inc. (PPI)

When Fort Lauderdale's seven-mile sewer transmission main broke, 200 million gallons of raw sewage spilled into streets and waterways. To fix the disaster, the city declared an emergency to put in two separate underground runs of high-density polyethylene (HDPE) pipe by two different contractors that totaled 7.5 miles of the pipe. Each string was installed using mostly horizontal directional drilling (HDD) through the congested downtown and picturesque residential areas of the city. Approximately six miles - nearly 85 percent of the total length - of HDPE pipe was installed using 17 horizontal directional drills that included going under three rivers. The project is part of the city's program to replace all of its decaying cast iron and ductile iron sewer pipes which have become weakened by the area's corrosive high saltwater table.

Murphy Pipeline Contractors, Inc. (Jacksonville, FL) put in 3,400 feet of 48-inch diameter DR 13.5 HDPE PE 4710 pipe from the north that included 1,500 feet drilled 60 feet deep across the intracoastal waterway. At the same time, David Mancini & Sons, Inc. (Pompano Beach, FL) installed 3,100 feet of 54-inch diameter DR 11 HDPE PE 4710 pipe from the south, which is one of the biggest HDD installations of large diameter HDPE pipe to date. Other sections that were installed using HDD ranged from 1,100 to 1,300 feet. The city worked with consulting



Scale of the project and the technology that was used impressed residents and field staff alike

This is an unprecedented feat of engineering and use of HDPE pipe...it solved a pressing problem for City of Fort Lauderdale and its citizens.

-DAVID M. FINK, PRESIDENT, PLASTICS PIPE INSTITUTE (PPI)

engineering firm Hazen and Sawyer which served as owner's representative on the project and provided technical advice.

This new \$65 million wastewater transmission line from the George T. Lohmeyer (GTL) Wastewater Treatment Plant on SE 18 Street to a wastewater lift station located near Bayview Drive and NE 37 Street was completed in April 2021, months before it was expected. The project will enable the city to repair its existing 50-year-old force main that was experiencing frequent breaks during the past several years. Because of the complexity and scope, it was named Project of the Year for the Municipal & Industrial Division of the Plastics Pipe Institute, Inc. (PPI), the North American trade association representing the plastics pipe industry. The award was presented to PPI member companies JM Eagle (Los Angeles, CA) and AGRU America, Inc. (Georgetown, S.C.). Both Murphy and Mancini are contractor members of the Municipal Advisory Board, an independent, non-commercial adviser to the Municipal & Industrial Division of the PPI.

"This is an unprecedented feat of engineering and use of HDPE pipe," stated David M. Fink, president of PPI. "Not only did it encompass thousands of feet of pipe, it solved a pressing problem for City of Fort Lauderdale and its citizens. The city is to be congratulated for its innovative use of design-build, engineering, construction and HDPE, the number one piping system for HDD. This enormous project created only minimal disturbance for vehicles and the daily living of the people because of the use of trenchless technology and the expertise of engineers and contractors. Also, the trenchless technology provided the way to expedite approvals from the regulatory agencies and permits from Federal, State, and County agencies



Contractors moved at unparalleled speed to build an entire new line, completing the job months ahead of schedule

“ HDPE pipe has been used in municipal water applications for more than 50 years...a recent industry survey showed that HDPE pipe continues to be the most common type of pipe used in trenchless installations. ”

-CAMILLE RUBEIZ, P.E., F. ASCE, SENIOR DIRECTOR OF ENGINEERING,
PPI - MUNICIPAL AND INDUSTRIAL DIVISION



Four of the HDD segments required unique compound curves due to roadway geometry and field conditions

including the United States Army Corps of Engineers, Florida Department of Environmental Protection, and the Florida Department of Transportation. Using trenchless technology, the City of Fort Lauderdale was able to complete this project significantly ahead of schedule to add a reliable force main to supplement its existing infrastructure.”

In December 2019, the City of Fort Lauderdale experienced numerous breaks to its aging seven-mile major sewer transmission main resulting in more than 200 million gallons of raw sewage spilling into streets and waterways. This led to the city declaring an emergency and awarding two design-build contracts. Using this delivery method, the project was split

into multiple phases to design, permit, and construct each phase concurrently. The majority of the city’s sewer system is six decades old and consists of ductile and cast-iron pipe. According to a South Florida Sun Sentinel newspaper article, “Rio Vista, the first neighborhood hit by a tidal wave of sewage on Dec. 10 (2020) when a giant 54-inch pipe made of ductile

“Directional boring was a solution that minimized the interruption to the lives of surrounding homeowners.”

- Dean J. Trantalis, Mayor, Fort Lauderdale

iron gave way. In two months alone, Fort Lauderdale’s crumbling sewer pipes have spewed 211.6 million gallons of raw sewage into waterways and streets.”

Fort Lauderdale’s mayor, Dean J. Trantalis said, “Mancini and Murphy came into an emergency situation facing our city in which one of the main sewer lines was repeatedly rupturing because of its age and deteriorating condition. They moved at unparalleled speed to build an entire new line so our residents could continue to receive service without the threat of more and more breaks. The methodology they used with directional boring was a solution that minimized the interruption to the lives of surrounding homeowners. Their tremendous work illustrates the city’s commitment to thoroughly address our infrastructure needs and have a system that serves our growing city for decades to come.”

Part of the problem Fort Lauderdale had experienced was due to the many weak points in the sewer line that would keep breaking. “Patching just meant putting more stress on other areas in the pipeline, which would then burst,” stated Camille George Rubeiz, P.E., F. ASCE, senior director of engineering for the Municipal and Industrial Division of PPI and is also the co-chair of the HDPE Municipal Advisory Board. “Plus, these voids in

the pipeline would allow infiltration of predominantly sandy soil into the pipeline which would reduce the inside diameter thus increasing the pressure inside the pipe, leading to more stress on the fragile sections of the cast iron pipe.

“HDPE pipe has been used in municipal water applications for more than 50 years. HDPE’s heat-fused joints create a leak free, self-restraint, monolithic piping system that can be pulled from one area

to another with minimum disruption to traffic or the surrounding communities. The fused joint also eliminates infiltration into the pipe and exfiltration into the environment. HDPE pipe has other benefits which include resistance to water hammer, fatigue, ground movements, freezing temperatures, earthquakes, corrosion and tuberculation.”

Rubeiz also said that HDPE pipe is versatile and can be used in methods of

WHERE THE CONSTRUCTION INDUSTRY GOES FOR
COMPACT HDD SOLUTIONS



PIPE BURSTING



HDD ASSIST



HORIZONTAL BORING



COMPACT HDD



PIPE RAMMING



SLICK BORE



SPLIT & PULL



WINCH APPLICATIONS



CABLE & PIPE PUSHING



GRUNDOPIT®
PIT LAUNCHED HDD

Install service lines in tight areas with the Grundopit!



GRUNDODRILL 5X®
COMPACT DIRECTIONAL DRILL

Main & service line installations in any location with the Grundodrill 5x!

Whether it’s a pit launched HDD solution for a difficult water main installation under a busy intersection or high production gas service line installations with a compact directional drill, TT Technologies offers the most trusted and dependable trenchless equipment available today. Choose the most reliable trenchless equipment for your next project. Choose TT Technologies!

GRUNDOPIT

- 54" L x 43" W x 57" H
- 150-ft Bore Length



GRUNDODRILL 5X

- 12,000 lbs Thrust & Pullback
- Bluetooth Enabled





www.tttechnologies.com
1-800-533-2078



HDPE's heat-fused joints create a leak free, self-restraint, monolithic piping system

underground installation such as HDD or open cut. "A recent industry survey showed that HDPE pipe continues to be the most common type of pipe used in trenchless installations. Properly designed, installed and fused, HDPE has a 100-year design life, zero allowable leakage, largest internal diameter and is the best water piping solution for open cut and trenchless installations. Plus, it has a larger flow capacity per PPIPACE.com, C coefficient of 150 – up to 50 percent higher C than others, corrosion and tuberculation resistance, lowest initial cost and lowest life cycle cost."

The 48-inch diameter DR 13.5 HDPE PE 4710 pipe was manufactured by JM Eagle. It has a pressure rating of 160 psig at 80oF and can handle total pressure during recurring surge of 240 psig and total pressure during an occasional surge of 320 psig. The working pressure on

average was approximately 37 psi with a flow rate of 20,700 gpm. AGRU America made the 54-inch DR 11 pipe that carries a pressure rating of 200 psi at 800F used by Mancini.

According to Krishan Kandial, P.E., the project manager for the City of Fort Lauderdale, "This project afforded me a unique professional opportunity to work alongside two contractors and an owner's representative to deliver a much-needed redundant force main for our residents and visitors. Throughout construction, we had unmatched support from city leadership and residents in each of the neighborhoods we worked in. The scale of this project and the technology that was used impressed residents and field staff alike who had never seen a project of this type be completed so efficiently."

Four of the HDD segments required unique compound curves on 48-inch

HDPE DR 13.5 pipe due to roadway geometry and field conditions, and three of the area's rivers also had to be addressed. Reaching depths under the riverbed of up to 60 feet, 1,800 feet of pipe was drilled under the Tarpon River, which was next to a bridge and had only eight feet of available right-of-way between the bridge and adjacent properties. A precise compound curve was utilized in the design to achieve the constrained alignment. The crew pulled 2,500 feet of pipe under the New River and 1,600 feet under the Middle River. Due to the depth and soil conditions, 48-inch DR 11 pipe was used in the Middle River crossing, making it one of the first projects in the country to utilize this pipe size and DR.

The project also had four HDDs with tight-radius compound curves using 48-inch HDPE DR 13.5 pipe, which included a 2,600 foot and a 1,400-foot S-curve. Other compound curves were required due to



This enormous project created only minimal disturbance

roadway geometry and field conditions.

Kandial described another situation, “Due to space limitations, a 60-inch borehole at the lift station was drilled only a few feet away from professional-grade clay tennis courts at the Coral Ridge Country Club that have a unique subsurface irrigation system and were at risk of being undermined by the trenchless installation. In response, the team developed a soil stabilization treatment plan, which required the injection of rigid structural geotechnical polymers at 68 locations that prevented soil movement or collapse.”

Fort Lauderdale has geotechnical conditions common for a coastal city. Geotechnical investigations found loose material - sand and limestone - in the first 30 feet below land surface (BLS) and very dense cemented sand below that. The crew had to carefully adjust the HDD alignment to address the change in ground conditions, particularly where the HDD was deeper than 30 feet.

“It’s not only Fort Lauderdale facing this problem. Pressure from groundwater



Utility Rehabilitation Specialist
SSES Field Services

- Pipe Cleaning / CCTV Inspection
- Smoke & Dye Testing
- Laser Profiling / Digital Scanning



- Mainline, Manhole, & Lateral Inspections
- CIPP Sectional Liners
- Mechanical Spot Repairs



Trenchless Technologies
CIPP (Cured-In-Place Pipe)

6" – 96" Diameter
NCDOT Approved • VDOT Approved

2111 Smith Avenue • Chesapeake, VA 23320



Telephone: (757) 366-9505 • Fax: (757) 366-5150

www.tristateutilities.com



Fused joints eliminate infiltration and exfiltration

Looking for the best underground solutions?



Let us help with trenchless.

Service is our passion.



HIGHFILL

Cary, NC | 919.481.4342
 Charlotte, NC | 980.237.6232
 Wilmington, NC | 910.313.1516
 Winston-Salem, NC | 336.701.2910
 Columbia, SC | 803.250.6214
www.hiepc.com

and also the corrosive nature of saltwater found in sandy soil will continue to destroy the old piping infrastructure,” stated PPI’s Rubeiz. “This project shows how Fort Lauderdale has taken steps to not only correct the problem but to also give its citizens a high-integrity solution that will serve the city for a hundred years. The Venice of America can now say good-bye to raw sewage flowing in its streets.”

ABOUT PPI:



The Plastics Pipe Institute, Inc. (PPI) is the major North American trade association representing the plastic

pipe industry and is dedicated to promoting plastic as the materials of choice for pipe and conduit applications. PPI is the premier technical, engineering and industry knowledge resource publishing data for use in the development and design of plastic pipe and conduit systems. Additionally, PPI collaborates with industry organizations that set standards for manufacturing practices and installation methods.

More information can be found at
www.plasticpipe.org/municipal_pipe
 or
www.plasticpipe.org.

HDPE PE4710

The best solution for water systems and communities

With 100-year design life, zero allowable leakage and the largest internal diameter, HDPE piping is superior for open cut and trenchless installations.

It's recognized by worldwide standards including the latest AWWA C901, C906 and the M55 Manual.



For additional information, visit:
www.plasticpipe.org/MABPubs



48" DIPS DR 17 PE4710 AWWA C906 125 PSI

© 2022 Plastics Pipe Institute, Inc.